L	Hits	Search Text	DB	Time stamp
Number				
56	27	((two or dual or multiple or both) near3	USPAT;	2004/03/16
		active) adj processor	US-PGPUB;	13:54
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
57	5	active/active near5 processor	USPAT;	2004/03/16
			US-PGPUB;	13:55
		,	EPO; JPO;	1
			DERWENT;	l l
			IBM_TDB	
59	0	(("6618783").PN.) and bios	USPAT;	2004/03/16
			US-PGPUB	16:25
60	1872	"redundant system slot" or rss	USPAT;	2004/03/16
			US-PGPUB;	16:25
			EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
61	442	·(714/11).CCLS.	USPAT;	2004/03/16
			US-PGPUB	16:26
62	2	((714/11).CCLS.) and ("redundant system	USPAT;	2004/03/16
		slot" or rss)	US-PGPUB	16:27
63	9016	1 ,	USPAT;	2004/03/16
		"back up" or standby or "stand by" or	US-PGPUB;	16:28
		stand-by)	EPO; JPO;	
			DERWENT;	
			IBM TDB	

78	304	(US-20030182483-\$ or US-20030182411-\$ or	US-PGPUB	2004/03/16
		US-20030182330-\$ or US-20030182326-\$ or		16:28
		US-20030182325-\$ or US-20030182322-\$ or		
		US-20030182313-\$ or US-20030182433-\$ or		
		US-20030182423-\$ or US-20030208511-\$ or		
		US-20030206521-\$ or US-20030206463-\$ or		
		US-20030206457-\$ or US-20030206049-\$ or		
		US-20030205938-\$ or US-20030204751-\$ or		
		US-20030204695-\$ or US-20030204609-\$ or		ļ
		US-20030204516-\$ or US-20030204420-\$ or		
		US-20030203722-\$ or US-20030202652-\$ or		
		US-20030202645-\$ or US-20030202564-\$ or		
		US-20030202520-\$ or		
		US-20030202510-\$).did. or		
		(US-20030202466-\$ or US-20030202407-\$ or		
		US-20030201757-\$ or US-20030200797-\$ or		
		US-20030200473-\$ or US-20030200463-\$ or		
		US-20030200330-\$ or US-20030198243-\$ or		
		US-20030198214-\$ or US-20030198180-\$ or		
		US-20030198108-\$ or US-20030198099-\$ or		
		US-20030198098-\$ or US-20030198033-\$ or		
		US-20030197544-\$ or US-20030197540-\$ or		
		US-20030196126-\$ or US-20030196052-\$ or		
		US-20030195903-\$ or US-20030195462-\$ or		
		US-20030193993-\$ or US-20030193963-\$ or		
		US-20030193958-\$ or US-20030193922-\$ or		
;		US-20030193891-\$ or US-20030193824-\$ or		
		US-20030212393-\$).did. or		
		(US-20030212364-\$ or US-20030211870-\$ or		
	;	US-20030211679-\$ or US-20030210705-\$ or	•	
		US-20030210600-\$ or US-20030210592-\$ or		
		US-20030208766-\$ or US-20030208750-\$ or		
		US-20030208725-\$ or US-20030208704-\$ or		
		US-20030208618-\$ or US-20030208596-\$ or		
		US-20030187927-\$ or US-20030187802-\$ or		
		US-20030187544-\$ or US-20030185078-\$ or		
		US-20030182588-\$ or US-20030188051-\$ or		
		US-20030187525-\$ or US-20030186099-\$ or		
		US-20030185376-\$ or US-20030185283-\$ or		
		US-20030185225-\$ or US-20030185088-\$ or US-20030187934-\$ or US-20040012518-\$ or		
		US-20040012456-\$).did. or		
		• •		
		(US-20040012397-\$ or US-20040012265-\$ or US-20030188126-\$ or US-20040013023-\$ or		
		US-20040013005-\$ or US-20040013023-\$ or		
		US-20030191431-\$ or US-20030189897-\$ or		
		US-20030191431-\$ 01 US-200301898697-\$ 01 US-20030189869-\$ or US-20030189868-\$ or		
	ľ	US-20030189859-\$ or US-20030189852-\$ or		
		US-20030189221-\$ or US-20030188241-\$ or		
		US-20030188233-\$ or US-20030188222-\$ or		
		US-20030188218-\$ or US-20030188212-\$ or		
		US-20030188208-\$ or US-20030191823-\$ or		
		US-20030191565-\$ or US-20040041582-\$ or		
		US-20040039947-\$ or US-20040039745-\$ or		
l		US-20040039718-\$ or US-20040038681-\$ or		
l		US-20040037716 \$ 61 65 20040036661-\$ 61 US-20040037611-\$).did. or		
l		(US-20040037566-\$ or US-20040037556-\$ or		
		US-20040037298-\$ or US-20040037290-\$ or		
}		US-20040037151-\$ or US-20040037148-\$ or		
		US-20040037131 \$ 61 65 20040037146 \$ 61 US-20040036601-\$ or		
		US-20040035573-\$ or US-20040035466-\$ or		
		US-20040034871-\$ or US-20040034689-\$ or		
		US-20040032772-\$ or US-20040032334-\$ or		
		US-20040032319-\$ or US-20040031030-\$ or		
		US-20040030766-\$ or US-20040030496-\$ or		
		US-20040015566-\$ or US-20040015273-\$ or		
		US-20040017711-\$ or US-20040019563-\$ or		
		US-20040015132-\$ or US-20040014505-\$ or		
		US-20040014494-\$ or US-20040014467-\$ or		
		US-20040014268-\$).did. or		
		(US-20040015683-\$ or US-20040016429-\$ or		
		US-20040015731-\$ or US-20040017690-\$ or		
Soom-b ***		US-20040015668-\$ or US-20040015640-\$ or		
Search His	cory 3	18-20030218982-\$ or 83920030218916-\$ or		
		US-20030218497-\$ or US-20030218494-\$ or		
::\apps\ea	ST\Worksp	ces\09967036 Dual System Masters.wsp		
'	-1	-		

•

			•	
79	28		USPAT;	2004/03/16
		"back up" or standby or "stand by" or	US-PGPUB;	16:31
		stand-by)) and ("redundant system slot" or rss)	EPO; JPO; DERWENT;	
		01 155)	IBM TDB	
80	535	("redundant system slot" or rss) and	USPAT;	2004/03/16
		processor	US-PGPUB;	16:31
			EPO; JPO; DERWENT;	
			IBM TDB	
81	187	(("redundant system slot" or rss) and	USPAT;	2004/03/16
		processor) and bus	US-PGPUB;	16:32
			EPO; JPO; DERWENT;	
			IBM TDB	
82	134	((("redundant system slot" or rss) and	USPAT;	2004/03/16
		processor) and bus) and (fault or	US-PGPUB;	17:45
		interrupt or fail\$7)	EPO; JPO;	
			DERWENT; IBM TDB	
95	357	(714/2).CCLS.	USPAT;	2004/03/16
1			US-PGPUB	17:45
96	219	((714/2).CCLS.) and processor	USPAT; US-PGPUB	2004/03/16 17:46
97	132	(((714/2).CCLS.) and processor) and bus	USPAT;	2004/03/16
1		(((, a, total t) una processor, una sus	US-PGPUB	17:47
58	1	("6618783").PN.	USPAT;	2004/03/16
98	0	6618783.URPN.	US-PGPUB USPAT	18:02 2004/03/16
98	"	6618783.URPN.	USPAT	18:02
99	9	("5834856" "5978932" "6035355"	USPAT	2004/03/16
		"6112271" "6138247" "6161197"	İ	18:02
	1	"6209051" "6351452" "6425094").PN. ((714/11).CCLS.) and ("active mode" and	HCDATE.	2004/03/16
-		"backup mode")	USPAT; US-PGPUB;	16:26
		,	EPO; JPO;	
			DERWENT;	
	48	"active mode" and "backup mode"	IBM_TDB USPAT;	2004/03/15
	40	active mode and backup mode	US-PGPUB;	15:20
			EPO; JPO;	
			DERWENT;	
_	146	(active near2 mode) and ((back-up or	IBM_TDB USPAT;	2004/03/15
	140	backup or "back up") near2 mode	US-PGPUB;	15:23
		• ,,	EPO; JPO;	
			DERWENT;	
1_	2	((714/11).CCLS.) and ((active near2 mode)	IBM_TDB USPAT;	2004/03/15
		and ((back-up or backup or "back up")	US-PGPUB;	17:39
		near2 mode))	EPO; JPO;	
			DERWENT;	
_	439	(714/11).CCLS.	USPAT;	2004/03/15
			US-PGPUB	15:22
-	2354		USPAT;	2004/03/15
		backup or "back up" or standby or "stand by" or stand-by) near2 mode)	US-PGPUB; EPO; JPO;	15:24
		or ocalia of licare model	DERWENT;	
			IBM_TDB	
-	89		USPAT;	2004/03/15
		"back up" or standby or "stand by" or stand-by)) and ((714/11).CCLS.)	US-PGPUB; EPO; JPO;	16:14
			DERWENT;	
			IBM_TDB	
-	538	((active) near15 (back-up or backup or "back up" or standby or "stand by" or	USPAT; US-PGPUB;	2004/03/15 16:14
		stand-by)) and boot	EPO; JPO;	10.17
		,	DERWENT;	
L			IBM_TDB	

[-	49	1 , , ,	USPAT;	2004/03/15
		"back up" or standby or "stand by" or	US-PGPUB;	16:15
		stand-by)) and boot) and split and cluster	EPO; JPO; DERWENT;	
1		Cluster	IBM TDB	
-	0	("111and110").PN.	USPAT;	2004/03/15
			US-PGPUB	16:15
-	1	"cluster mode" and "split mode"	USPAT;	2004/03/15
			US-PGPUB;	16:18
			EPO; JPO; DERWENT;	
			IBM TDB	
-	532	cluster near25 split	USPAT;	2004/03/15
			US-PGPUB;	16:18
			EPO; JPO;	
			DERWENT; IBM TDB	
-	1	"cluster-in-a-box"	USPAT;	2004/03/15
			US-PGPUB;	17:21
			EPO; JPO;	
			DERWENT;	
_	386	"split bus"	IBM_TDB	2004/02/15
-	386	spilt bus	USPAT; US-PGPUB;	2004/03/15 17:26
			EPO; JPO;	17.20
			DERWENT;	
			IBM_TDB	
-	1	((714/11).CCLS.) and "split bus"	USPAT;	2004/03/15
			US-PGPUB; EPO; JPO;	17:27
			DERWENT;	
			IBM TDB	
-	356	(714/2).CCLS.	USPĀT;	2004/03/15
		(/	US-PGPUB	17:28
-	21	((active) near15 (back-up or backup or "back up" or standby or "stand by" or	USPAT; US-PGPUB	2004/03/15
		"back up" or standby or "stand by" or stand-by)) and ((714/2).CCLS.)	03-FGFUB	11.33
-	11687	(714/1-57).CCLS.	USPAT;	2004/03/15
			US-PGPUB	17:34
-	541	((714/1-57).CCLS.) and ((active) near15	USPAT;	2004/03/15
		(back-up or backup or "back up" or standby or "stand by" or stand-by))	US-PGPUB	17:36
_	1		USPAT;	2004/03/15
	1	(back-up or backup or "back up" or	US-PGPUB	17:35
1		standby or "stand by" or stand-by))) and		
	_	(cluster near25 split)	11022	2004/02/15
-	1	(((((714/1-57).CCLS.) and ((active) near15 (back-up or backup or "back up" or	USPAT; US-PGPUB;	2004/03/15 17:48
		standby or "stand by" or stand-by))) and	EPO; JPO;	11.10
		(cluster near25 split)) and boot	DERWENT;	
			IBM_TDB	
-	1037	split same cluster	USPAT;	2004/03/15
			US-PGPUB; EPO; JPO;	17:49
			DERWENT;	
			IBM TDB	
-	27	' •	USPAT;	2004/03/15
]		((714/1-57).CCLS.)	US-PGPUB;	18:01
			EPO; JPO;	
			DERWENT; IBM TDB	
-	356	(714/2).CCLS.	USPAT;	2004/03/15
			US-PGPUB	18:01
-	21	((714/2).CCLS.) and ((active) near15	USPAT;	2004/03/15
		(back-up or backup or "back up" or standby or "stand by" or stand-by))	US-PGPUB	18:05
-	1092	(710/305).CCLS.	USPAT;	2004/03/15
		· · · · · · · · · · · · · · · · · · ·	US-PGPUB	18:06
-	11	((710/305).CCLS.) and ((active) near15	USPAT;	2004/03/15
		(back-up or backup or "back up" or	US-PGPUB	18:12
		standby or "stand by" or stand-by))	L	

-	306	((active) near15 (back-up or backup or	USPAT;	2004/03/15
		"back up" or standby or "stand by" or	US-PGPUB	18:13
		stand-by)) and bios		
-	2	(((active) near15 (back-up or backup or	USPAT;	2004/03/15
		"back up" or standby or "stand by" or	US-PGPUB	18:16
		stand-by)) and bios) and ((714/11).CCLS.)		
-	3150	((active) near15 (back-up or backup or	EPO; JPO;	2004/03/15
		"back up" or standby or "stand by" or	DERWENT;	18:17
		stand-by))	IBM TDB	
-	1	((active) near15 (back-up or backup or	EPO; JPO;	2004/03/15
		"back up" or standby or "stand by" or	DERWENT;	18:18
ļ		stand-by)) and bios	IBM TDB	
ļ _	389	((active) near15 (back-up or backup or	EPO; JPO;	2004/03/15
		"back up" or standby or "stand by" or	DERWENT;	18:19
		stand-by)) and processor	IBM TDB	
-	36	(((active) near15 (back-up or backup or	EPO; JPO;	2004/03/15
		"back up" or standby or "stand by" or	DERWENT;	18:19
		stand-by)) and processor) and redundan\$5	IBM_TDB	